

What is claimed is:

1. An information processing method, comprising steps of:
  - receiving first data and a first digital signature for at least said first data from a first computer;
  - performing format conversion corresponding to a destination of said first data, for said first data received in said receiving step to generate second data; and
  - sending at least said second data generated in said step of performing format conversion, a format reverse-conversion program for performing reverse conversion of the format conversion, and said first digital signature to a second computer associated with said destination.
- 15 2. The information processing method as set forth in claim 1, further comprising a step of generating a second digital signature for at least said second data generated in said step of performing format conversion, said format reverse-conversion program, and said first digital signature, wherein said second digital signature is sent to said second computer in said sending step.
- 25 3. The information processing method as set forth in claim 1, wherein a third digital signature for at least said format reverse-conversion program is received in said receiving step.
4. The information processing method as set forth in claim 3, further comprising a step of generating a fourth digital signature for said second data generated in said step of performing format conversion, said format reverse-conversion program, said third digital signature, and said first digital signature, wherein said third digital signature and said fourth digital signature are sent to said second computer in said sending step.

5. The information processing method as set forth in claim 3,  
further comprising the steps of:

receiving a request for sending a format reverse-conversion  
5 program from said first computer, said request including designation  
of a destination; and

extracting a format reverse-conversion program corresponding  
to said destination from a format reverse-conversion program storage,  
and sending the extracted format reverse-conversion program to said  
10 first computer.

6. The information processing method as set forth in claim 1,  
wherein said format reverse-conversion program and a third digital  
signature for said format reverse-conversion program are received in  
15 said receiving step.

7. An information processing method, comprising the steps of:

receiving first data and a first digital signature for at least  
said first data from a first computer;

20 performing format conversion corresponding to a destination  
of said first data, for said first data received in said receiving  
step to generate a second data; and

sending at least said second data generated in said step of  
performing format conversion, identification information for  
25 identifying a format reverse-conversion program for performing  
reverse conversion of the format conversion, and said first digital  
signature to a second computer associated with said destination.

8. The information processing method as set forth in claim 7,  
30 further comprising a step of generating a second digital signature  
for at least said second data generated in said step of performing  
format conversion and said first digital signature, wherein said

second digital signature is sent to said second computer in said sending step.

9. The information processing method as set forth in claim 8,  
5 wherein a second signature is generated for at least said second data generated in said step of performing format conversion, said identification information for identifying a format reverse-conversion program, and said first digital signature in said generating step.

10

10. An information processing method, comprising the steps of:  
sending a computer for performing format conversion of data a request for sending a format reverse-conversion program for performing reverse conversion of said format conversion, said request 15 including designation of a destination of data;  
if said format reverse-conversion program is received from said computer for performing format conversion of data, generating a digital signature for at least said format reverse-conversion program; and  
20 sending at least the generated digital signature, said data, and said digital signature for said data to said computer for performing format conversion of data.

11. The information processing method as set forth in claim 10,  
25 wherein the generated digital signature, said data, said digital signature for said data, and said format reverse-conversion program are sent to said computer for performing format conversion of data in said second sending step.

30 12. An information processing method, comprising the steps of:  
sending a computer for performing format conversion of data a request for sending a format reverse-conversion program for

performing reverse conversion of said format conversion, said request including designation of a destination of data;

if said format reverse-conversion program is received from said computer for performing format conversion of data, generating 5 a digital signature for at least said format reverse-conversion program and said data; and

sending at least the generated digital signature and said data to said computer for performing format conversion of data.

10 13. An information processing method, comprising the steps of:

receiving data for which format conversion has been performed according to a destination of said data, a digital signature for at least said data before said format conversion, and a format reverse-conversion program for performing reverse conversion of said 15 format conversion;

performing the reverse conversion for said data for which format conversion has been performed, by the received format reverse-conversion program, to generate reversely converted data;

calculating a first hash value from at least said reversely 20 converted data;

restoring a second hash value from the received digital signature; and

comparing the calculated first hash value with the restored second hash value to determine whether there is no alteration.

25

14. The information processing method as set forth in claim 13, wherein a digital signature for said data for which format conversion has been performed, said digital signature for at least said data before said format conversion, and said format reverse-conversion 30 program is further received in said receiving step.

15. The information processing method as set forth in claim 13,

wherein a second signature for said format reverse-conversion program is received in the receiving step,

and further comprising the steps of:

5 calculating a third hash value from said format reverse-conversion program;

restoring a fourth hash value from said second digital signature; and

comparing the calculated third hash value with the restored fourth hash value to determine whether there is no alteration.

10

16. The information processing method as set forth in claim 15, wherein a digital signature for said data for which format conversion has been performed, said digital signature for at least said data before said format conversion, said format reverse-conversion 15 program, and said second digital signature for said format reverse-conversion program is further received in said receiving step.

17. An information processing method, comprising the steps of:

20 receiving data for which format conversion has been performed according to a destination of said data, a digital signature for at least said data before said format conversion, and identification information for identifying a format reverse-conversion program for performing reverse conversion of said format conversion;

25 extracting said format reverse-conversion program from a storage by using the received identification information for identifying said format reverse-conversion program;

performing the reverse conversion for said data for which format conversion has been performed, by using the extracted format 30 conversion program, to generate reversely converted data;

calculating a first hash value from at least said reversely converted data;

restoring a second hash value from the received digital signature; and

comparing the calculated first hash value with the restored second hash value to determine whether there is no alteration.

5

18. The information processing method as set forth in claim 17, wherein a digital signature for said data for which format conversion has been performed, said digital signature for at least said data before said format conversion, said identification information for 10 identifying said format reverse-conversion program, and a second digital signature for said format reverse-conversion program is further received in said receiving step.

19. A program embodied on a medium for causing a computer to perform 15 an information processing, said program comprising steps of:

receiving first data and a first digital signature for at least said first data from a first computer;

performing format conversion corresponding to a destination of said first data, for said first data received in said receiving 20 step to generate second data; and

sending at least said second data generated in said step of performing format conversion, a format reverse-conversion program for performing reverse conversion of the format conversion, and said first digital signature to a second computer associated with said 25 destination.

20. The program as set forth in claim 19, further comprising a step of generating a second digital signature for at least said second data generated in said step of performing format conversion, said format 30 reverse-conversion program, and said first digital signature, wherein said second digital signature is sent to said second computer in said sending step.

21. The program as set forth in claim 19, wherein a third digital signature for at least said format reverse-conversion program is received in said receiving step.

5

22. The program as set forth in claim 2, further comprising a step of generating a fourth digital signature for said second data generated in said step of performing format conversion, said format reverse-conversion program, said third digital signature, and said 10 first digital signature, wherein said third digital signature and said fourth digital signature are sent to said second computer in said sending step.

23. The program as set forth in claim 21, further comprising the 15 steps of:

receiving a request for sending a format reverse-conversion program from said first computer, said request including designation of a destination; and

extracting a format reverse-conversion program corresponding 20 to said destination from a format reverse-conversion program storage, and sending the extracted format reverse-conversion program to said first computer.

24. The program as set forth in claim 19, wherein said format 25 reverse-conversion program and a third digital signature for said format reverse-conversion program are received in said receiving step.

25. A program embodied on a medium for causing a computer to perform 30 an information processing, said program comprising steps of receiving first data and a first digital signature for at least said first data from a first computer;

performing format conversion corresponding to a destination of said first data, for said first data received in said receiving step to generate a second data; and

sending at least said second data generated in said step of  
5 performing format conversion, identification information for identifying a format reverse-conversion program for performing reverse conversion of the format conversion, and said first digital signature to a second computer associated with said destination.

10 26. The program as set forth in claim 25, further comprising a step of generating a second digital signature for at least said second data generated in said step of performing format conversion and said first digital signature, wherein said second digital signature is sent to said second computer in said sending step.

15

27. The program as set forth in claim 26, wherein a second signature is generated for at least said second data generated in said step of performing format conversion, said identification information for identifying a format reverse-conversion program, and said first 20 digital signature in said generating step.

28. A program embodied on a medium for causing a computer to perform an information processing, said program comprising steps of:

sending a computer for performing format conversion of data  
25 a request for sending a format reverse-conversion program for performing reverse conversion of said format conversion, said request including designation of a destination of data;

if said format reverse-conversion program is received from said computer for performing format conversion of data, generating  
30 a digital signature for at least said format reverse-conversion program; and

sending at least the generated digital signature, said data,

and said digital signature for said data to said computer for performing format conversion of data.

29. The program as set forth in claim 28, wherein the generated  
5 digital signature, said data, said digital signature for said data,  
and said format reverse-conversion program are sent to said computer  
for performing format conversion of data in said second sending step.

30. A program embodied on a medium for causing a computer to perform  
10 an information processing, said program comprising steps of:

          sending a computer for performing format conversion of data  
          a request for sending a format reverse-conversion program for  
          performing reverse conversion of said format conversion, said request  
          including designation of a destination of data;

15       if said format reverse-conversion program is received from  
          said computer for performing format conversion of data, generating  
          a digital signature for at least said format reverse-conversion  
          program and said data; and

          sending at least the generated digital signature and said data  
20       to said computer for performing format conversion of data.

31. A program embodied on a medium for causing a computer to perform  
an information processing, said program comprising steps of:

          receiving data for which format conversion has been performed  
25       according to a destination of said data, a digital signature for at  
          least said data before said format conversion, and a format  
          reverse-conversion program for performing reverse conversion of said  
          format conversion;

          performing the reverse conversion for said data for which  
30       format conversion has been performed, by the received format  
          reverse-conversion program, to generate reversely converted data;

          calculating a first hash value from at least said reversely

converted data;  
restoring a second hash value from the received digital  
signature; and

5 comparing the calculated first hash value with the restored  
second hash value to determine whether there is no alteration.

32. The program as set forth in claim 31, wherein a digital  
signature for said data for which format conversion has been performed,  
said digital signature for at least said data before said format  
conversion, and said format reverse-conversion program is further  
10 received in said receiving step.

33. The program as set forth in claim 31, wherein a second signature  
for said format reverse-conversion program is received in the  
15 receiving step,

and further comprising the steps of:  
calculating a third hash value from said format  
reverse-conversion program;  
restoring a fourth hash value from said second digital  
20 signature; and  
comparing the calculated third hash value with the restored  
fourth hash value to determine whether there is no alteration.

34. The program as set forth in claim 33, wherein a digital  
signature for said data for which format conversion has been performed,  
said digital signature for at least said data before said format  
conversion, said format reverse-conversion program, and said second  
digital signature for said format reverse-conversion program is  
further received in said receiving step.

30

35. A program embodied on a medium for causing a computer to perform  
an information processing, said program comprising steps of:

receiving data for which format conversion has been performed according to a destination of said data, a digital signature for at least said data before said format conversion, and identification information for identifying a format reverse-conversion program for 5 performing reverse conversion of said format conversion;

extracting said format reverse-conversion program from a storage by using the received identification information for identifying said format reverse-conversion program;

10 performing the reverse conversion for said data for which format conversion has been performed, by using the extracted format conversion program, to generate reversely converted data;

calculating a first hash value from at least said reversely converted data;

15 restoring a second hash value from the received digital signature; and

comparing the calculated first hash value with the restored second hash value to determine whether there is no alteration.

36. The program as set forth in claim 35, wherein a digital 20 signature for said data for which format conversion has been performed, said digital signature for at least said data before said format conversion, said identification information for identifying said format reverse-conversion program, and a second digital signature for said format reverse-conversion program is further received in said 25 receiving step.

37. A computer system, comprising:

a receiver, which receives first data and a first digital signature for at least said first data from a first computer;

30 a format converter, which performs format conversion corresponding to a destination of said first data, for said first data received by said receiver to generate second data; and

a sender, which sends at least said second data generated by  
said format converter, a format reverse-conversion program for  
performing reverse conversion of the format conversion, and said  
first digital signature to a second computer associated with said  
5 destination.

38. The computer system as set forth in claim 37, further comprising  
a generator, which generates a second digital signature for at least  
said second data generated by said format converter, said format  
10 reverse-conversion program, and said first digital signature,  
wherein said second digital signature is sent to said second computer  
by said sender.

39. The computer system as set forth in claim 37, wherein a third  
15 digital signature for at least said format reverse-conversion program  
is received by said receiver.

40. The computer system as set forth in claim 39, further comprising  
a second generator, which generates a fourth digital signature for  
20 said second data generated by said format converter, said format  
reverse-conversion program, said third digital signature, and said  
first digital signature, wherein said third digital signature and  
said fourth digital signature are sent to said second computer by said  
sender.

25

41. The computer system as set forth in claim 39, further  
comprising:

a second receiver, which receives a request for sending a format  
reverse-conversion program from said first computer, said request  
30 including designation of a destination; and

an extractor, which extracts a format reverse-conversion  
program corresponding to said destination from a format

reverse-conversion program storage, and sends the extracted format reverse-conversion program to said first computer.

42. The computer system as set forth in claim 37, wherein said  
5 format reverse-conversion program and a third digital signature for  
said format reverse-conversion program are received by said receiver.

43. A computer system, comprising:

a receiver, which receives first data and a first digital  
10 signature for at least said first data from a first computer;  
a format converter, which performs format conversion  
corresponding to a destination of said first data, for said first data  
received by said receiver to generate a second data; and  
a sender, which sends at least said second data generated by  
15 said format converter, identification information for identifying a  
format reverse-conversion program for performing reverse conversion  
of the format conversion, and said first digital signature to a second  
computer associated with said destination.

20 44. The computer system as set forth in claim 43, further comprising  
a generator, which generates a second digital signature for at least  
said second data generated by said format converter and said first  
digital signature, wherein said second digital signature is sent to  
said second computer by said sender.

25

45. The computer system as set forth in claim 44, wherein a second  
signature is generated for at least said second data generated by said  
format converter, said identification information for identifying a  
format reverse-conversion program, and said first digital signature  
30 by said generator.

46. A computer system, comprising:

a sender, which sends a computer for performing format conversion of data a request for sending a format reverse-conversion program for performing reverse conversion of said format conversion, said request including designation of a destination of data;

5 a generator, which generates, if said format reverse-conversion program is received from said computer for performing format conversion of data, a digital signature for at least said format reverse-conversion program; and

10 a second sender, which sends at least the generated digital signature, said data, and said digital signature for said data to said computer for performing format conversion of data.

47. The computer system as set forth in claim 46, wherein the generated digital signature, said data, said digital signature for 15 said data, and said format reverse-conversion program are sent to said computer for performing format conversion of data by said second sender.

48. A computer system, comprising:

20 a sender, which sends a computer for performing format conversion of data a request for sending a format reverse-conversion program for performing reverse conversion of said format conversion, said request including designation of a destination of data;

25 a generator, which generates, if said format reverse-conversion program is received from said computer for performing format conversion of data, a digital signature for at least said format reverse-conversion program and said data; and

30 a second sender, which sends at least the generated digital signature and said data to said computer for performing format conversion of data.

49. A computer system, comprising:

a receiver, which receives data for which format conversion has been performed according to a destination of said data, a digital signature for at least said data before said format conversion, and a format reverse-conversion program for performing reverse conversion of said format conversion;

a reverse converter, which performs the reverse conversion for said data for which format conversion has been performed, by the received format reverse-conversion program, to generate reversely converted data;

10 a calculator, which calculates a first hash value from at least said reversely converted data;

a restorer, which restores a second hash value from the received digital signature; and

15 a comparator, which compares the calculated first hash value with the restored second hash value to determine whether there is no alteration.

50. The computer system as set forth in claim 49, wherein a digital signature for said data for which format conversion has been performed, 20 said digital signature for at least said data before said format conversion, and said format reverse-conversion program is further received by said receiver.

51. The computer system as set forth in claim 49, wherein a second 25 signature for said format reverse-conversion program is received by said receiver,

and further comprising:

a second calculator, which calculates a third hash value from said format reverse-conversion program;

30 a second restorer, which restores a fourth hash value from said second digital signature; and

a second comparator, which compares the calculated third hash

value with the restored fourth hash value to determine whether there is no alteration.

52. The computer system as set forth in claim 51, wherein a digital  
5 signature for said data for which format conversion has been performed,  
said digital signature for at least said data before said format conversion, said format reverse-conversion program, and said second digital signature for said format reverse-conversion program is further received by said receiver.

10

53. A computer system, comprising:

a receiver, which receives data for which format conversion has been performed according to a destination of said data, a digital signature for at least said data before said format conversion, and  
15 identification information for identifying a format reverse-conversion program for performing reverse conversion of said format conversion;

an extractor, which extracts said format reverse-conversion program from a storage by using the received identification  
20 information for identifying said format reverse-conversion program;

a reverse converter, which performs the reverse conversion for said data for which format conversion has been performed, by using the extracted format conversion program, to generate reversely converted data;

25 a calculator, which calculates a first hash value from at least said reversely converted data;

a restorer, which restores a second hash value from the received digital signature; and

30 a comparator, which compares the calculated first hash value with the restored second hash value to determine whether there is no alteration.

54. The computer system as set forth in claim 53, wherein a digital  
signature for said data for which format conversion has been performed,  
said digital signature for at least said data before said format  
conversion, said identification information for identifying said  
5 format reverse-conversion program, and a second digital signature for  
said format reverse-conversion program is further received by said  
receiver.

10